

西南交通大学电气工程学院卫生检查成绩（天佑斋8号-2017级女生）

| 寝室号     | 检查项目   |      |      |      |     |       |       | 寝室卫生成绩40分 | 寝室安全成绩30分 | 寝室文化成绩30分 | 总分100 |
|---------|--------|------|------|------|-----|-------|-------|-----------|-----------|-----------|-------|
|         | 地面墙壁8分 | 门窗4分 | 书桌6分 | 阳台6分 | 床6分 | 垃圾筐4分 | 洗手间6分 |           |           |           |       |
| T081004 | 6.6    | 3.3  | 5.0  | 4.6  | 4.0 | 4.0   | 4.6   | 32.1      | 30.0      | 27.0      | 89.1  |
| T081005 | 6.0    | 3.3  | 4.6  | 4.3  | 5.0 | 1.0   | 3.6   | 27.8      | 30.0      | 26.6      | 84.4  |
| T081006 | 5.6    | 3.0  | 5.0  | 5.6  | 4.0 | 4.0   | 4.0   | 31.2      | 30.0      | 27.0      | 88.2  |
| T081007 | 6.6    | 3.6  | 4.0  | 4.6  | 4.0 | 3.0   | 4.6   | 30.4      | 30.0      | 27.0      | 87.4  |
| T081008 | 6.6    | 3.0  | 5.3  | 4.6  | 5.0 | 4.0   | 4.6   | 33.1      | 30.0      | 27.0      | 90.1  |
| T081009 | 6.6    | 3.3  | 5.3  | 5.3  | 5.0 | 4.0   | 4.0   | 33.5      | 30.0      | 27.6      | 91.1  |
| T081010 | 6.0    | 3.3  | 4.6  | 5.0  | 5.0 | 4.0   | 4.0   | 31.9      | 30.0      | 27.3      | 89.2  |
| T081011 | 6.3    | 3.6  | 5.0  | 5.0  | 6.0 | 3.0   | 3.0   | 31.9      | 30.0      | 27.6      | 89.5  |
| T081012 | 6.0    | 3.3  | 5.0  | 5.0  | 5.0 | 3.0   | 4.0   | 31.3      | 30.0      | 27.6      | 88.9  |
| T081013 | 6.3    | 3.3  | 4.6  | 4.6  | 5.0 | 2.0   | 4.3   | 30.1      | 30.0      | 27.0      | 87.1  |
| T081014 | 6.6    | 3.6  | 5.0  | 5.0  | 6.0 | 3.0   | 5.0   | 34.2      | 30.0      | 27.0      | 91.2  |
| T081015 | 6.3    | 3.6  | 5.0  | 4.6  | 6.0 | 4.0   | 4.3   | 33.8      | 30.0      | 27.6      | 91.4  |
| T081016 | 5.0    | 3.3  | 4.0  | 4.6  | 3.0 | 3.0   | 3.3   | 26.2      | 30.0      | 26.3      | 82.5  |
| T081017 | 6.6    | 4.0  | 3.6  | 5.3  | 3.0 | 4.0   | 4.6   | 31.1      | 30.0      | 26.6      | 87.7  |
| T081018 | 6.0    | 3.0  | 4.6  | 5.0  | 4.0 | 3.0   | 3.0   | 28.6      | 30.0      | 26.6      | 85.2  |
| T081019 | 6.3    | 3.3  | 4.6  | 5.3  | 5.0 | 5.0   | 4.6   | 34.1      | 30.0      | 28.0      | 92.1  |
| T081020 | 6.0    | 3.3  | 4.6  | 4.3  | 4.0 | 4.0   | 3.6   | 29.8      | 30.0      | 27.3      | 87.1  |
| T082046 | 6.6    | 3.6  | 5.0  | 5.3  | 4.0 | 4.0   | 4.6   | 33.1      | 30.0      | 27.0      | 90.1  |
| T082048 | 6.0    | 3.3  | 5.0  | 4.6  | 5.0 | 4.0   | 4.6   | 32.5      | 30.0      | 27.6      | 90.1  |
| T082049 | 6.3    | 3.6  | 5.0  | 5.3  | 4.0 | 5.0   | 5.0   | 34.2      | 30.0      | 27.0      | 91.2  |

## 西南交通大学电气工程学院卫生检查成绩（天佑斋8号-2016级女生）

| 寝室号     | 检查项目           |          |          |          |         |               |               | 寝室卫生成绩<br>40分 | 寝室安全成绩<br>30分 | 寝室文化成绩<br>30分 | 总分<br>100 |
|---------|----------------|----------|----------|----------|---------|---------------|---------------|---------------|---------------|---------------|-----------|
|         | 地面<br>墙壁8<br>分 | 门窗4<br>分 | 书桌6<br>分 | 阳台6<br>分 | 床<br>6分 | 垃圾<br>筐<br>4分 | 洗手<br>间<br>6分 |               |               |               |           |
| T084001 | 7.0            | 4.0      | 5.0      | 3.0      | 4.0     | 3.5           | 4.0           | 30.5          | 30.0          | 26.5          | 87.0      |
| T084002 | 7.5            | 4.0      | 6.0      | 5.0      | 4.5     | 3.0           | 5.5           | 35.5          | 30.0          | 27.5          | 93.0      |
| T084003 | 7.0            | 4.0      | 5.0      | 6.0      | 2.5     | 2.0           | 6.0           | 32.5          | 30.0          | 27.5          | 90.0      |
| T084004 | 5.0            | 3.5      | 3.5      | 3.5      | 3.5     | 1.5           | 4.0           | 24.5          | 30.0          | 28.0          | 82.5      |
| T084005 | 7.5            | 4.0      | 4.5      | 6.0      | 4.5     | 3.5           | 5.5           | 35.5          | 30.0          | 27.0          | 92.5      |
| T084006 | 7.0            | 4.0      | 4.0      | 5.5      | 4.5     | 3.5           | 4.0           | 32.5          | 30.0          | 26.5          | 89.0      |
| T084007 | 7.0            | 4.0      | 4.0      | 5.0      | 3.0     | 3.0           | 4.0           | 30.0          | 30.0          | 26.0          | 86.0      |
| T084008 | 7.0            | 4.0      | 4.5      | 5.0      | 4.5     | 3.5           | 5.0           | 33.5          | 30.0          | 27.0          | 90.5      |
| T084009 | 7.5            | 4.0      | 5.5      | 6.0      | 4.5     | 3.0           | 5.5           | 36.0          | 30.0          | 27.5          | 93.5      |
| T084010 | 8.0            | 4.0      | 6.0      | 6.0      | 6.0     | 4.0           | 6.0           | 40.0          | 30.0          | 25.0          | 95.0      |
| T084011 | 6.0            | 2.0      | 2.0      | 3.0      | 2.0     | 2.0           | 3.0           | 20.0          | 30.0          | 25.0          | 75.0      |
| T084049 | 6.0            | 2.0      | 2.0      | 3.0      | 2.0     | 2.0           | 5.0           | 22.0          | 30.0          | 25.0          | 77.0      |
| T085001 | 5.0            | 3.0      | 5.0      | 5.0      | 4.0     | 3.0           | 4.0           | 29.0          | 30.0          | 25.0          | 84.0      |
| T085002 | 5.0            | 2.0      | 2.0      | 2.0      | 2.0     | 1.0           | 2.0           | 16.0          | 30.0          | 24.0          | 70.0      |
| T085004 | 6.0            | 3.0      | 3.0      | 5.0      | 5.0     | 3.0           | 4.0           | 29.0          | 30.0          | 25.0          | 84.0      |
| T085005 | 7.0            | 3.0      | 3.0      | 5.0      | 5.0     | 3.0           | 5.0           | 31.0          | 30.0          | 25.0          | 86.0      |
| T085006 | 6.0            | 3.0      | 3.0      | 5.0      | 4.0     | 3.0           | 5.0           | 29.0          | 30.0          | 25.0          | 84.0      |
| T085007 | 7.0            | 3.0      | 3.0      | 5.0      | 5.0     | 2.0           | 6.0           | 31.0          | 30.0          | 25.0          | 86.0      |
| T085008 | 5.5            | 3.5      | 2.0      | 3.5      | 2.5     | 4.0           | 3.5           | 24.5          | 30.0          | 26.5          | 81.0      |
| T085009 | 7.0            | 3.0      | 5.0      | 6.0      | 5.0     | 3.0           | 5.0           | 34.0          | 30.0          | 27.0          | 91.0      |
| T085010 | 8.0            | 4.0      | 6.0      | 5.0      | 6.0     | 4.0           | 5.0           | 38.0          | 30.0          | 28.0          | 96.0      |
| T085011 | 6.5            | 4.0      | 4.0      | 5.0      | 3.5     | 3.0           | 5.5           | 31.5          | 30.0          | 27.0          | 88.5      |
| T085012 | 6.0            | 4.0      | 3.0      | 4.0      | 4.5     | 1.0           | 4.5           | 27.0          | 30.0          | 26.5          | 83.5      |
| T085013 | 7.0            | 4.0      | 5.5      | 5.5      | 5.0     | 4.0           | 5.5           | 36.5          | 30.0          | 27.0          | 93.5      |
| T085014 | 5.5            | 4.0      | 2.0      | 4.0      | 4.5     | 3.5           | 4.5           | 28.0          | 30.0          | 27.0          | 85.0      |
| T085015 | 5.0            | 4.0      | 2.0      | 4.0      | 4.0     | 3.5           | 4.5           | 27.0          | 30.0          | 27.0          | 84.0      |
| T085016 | 5.0            | 3.0      | 5.0      | 5.0      | 4.0     | 3.0           | 5.0           | 30.0          | 30.0          | 26.0          | 86.0      |
| T085017 | 7.0            | 3.0      | 5.0      | 5.0      | 5.0     | 3.0           | 5.0           | 33.0          | 30.0          | 25.0          | 88.0      |
| T085018 | 7.0            | 3.0      | 5.0      | 5.0      | 5.0     | 2.0           | 4.0           | 31.0          | 30.0          | 25.0          | 86.0      |
| T085019 | 6.0            | 3.0      | 5.0      | 5.0      | 5.0     | 3.0           | 5.0           | 32.0          | 30.0          | 25.0          | 87.0      |
| T085020 | 7.0            | 4.0      | 5.0      | 5.0      | 4.0     | 3.0           | 4.0           | 32.0          | 30.0          | 27.0          | 89.0      |

## 西南交通大学电气工程学院卫生检查成绩（天佑斋11号-2015级女生）

| 寝室号     | 检查项目   |      |      |      |     |       |       | 寝室卫生成绩40分 | 寝室安全成绩30分 | 寝室文化成绩30分 | 总分100 |
|---------|--------|------|------|------|-----|-------|-------|-----------|-----------|-----------|-------|
|         | 地面墙壁8分 | 门窗4分 | 书桌6分 | 阳台6分 | 床6分 | 垃圾筐4分 | 洗手间6分 |           |           |           |       |
| T112001 | 7.0    | 2.0  | 4.0  | 5.0  | 5.0 | 4.0   | 4.0   | 31.0      | 30.0      | 28.0      | 89.0  |
| T112002 | 6.0    | 4.0  | 4.0  | 4.0  | 5.0 | 4.0   | 6.0   | 33.0      | 30.0      | 28.0      | 91.0  |
| T112003 | 7.0    | 4.0  | 5.0  | 6.0  | 5.0 | 4.0   | 6.0   | 37.0      | 30.0      | 28.0      | 95.0  |
| T112004 | 6.0    | 4.0  | 4.0  | 4.0  | 5.0 | 2.0   | 5.0   | 30.0      | 30.0      | 27.0      | 87.0  |
| T112005 | 7.0    | 4.0  | 5.0  | 6.0  | 5.0 | 3.0   | 5.0   | 35.0      | 30.0      | 28.0      | 93.0  |
| T112006 | 6.0    | 4.0  | 5.0  | 5.0  | 5.0 | 3.0   | 5.0   | 33.0      | 30.0      | 28.0      | 91.0  |
| T112007 | 6.0    | 3.0  | 5.0  | 5.0  | 4.0 | 3.0   | 5.0   | 31.0      | 30.0      | 27.0      | 88.0  |
| T112008 | 6.0    | 4.0  | 4.0  | 4.0  | 4.0 | 3.0   | 4.0   | 29.0      | 30.0      | 27.0      | 86.0  |
| T113001 | 7.0    | 4.0  | 6.0  | 5.0  | 5.0 | 4.0   | 5.0   | 36.0      | 30.0      | 28.0      | 94.0  |
| T113002 | 6.0    | 4.0  | 4.0  | 6.0  | 4.0 | 2.0   | 4.0   | 30.0      | 30.0      | 28.0      | 88.0  |
| T113003 | 8.0    | 4.0  | 5.0  | 5.0  | 5.0 | 4.0   | 5.0   | 36.0      | 30.0      | 29.0      | 95.0  |
| T113004 | 7.0    | 4.0  | 5.0  | 6.0  | 5.0 | 4.0   | 5.0   | 36.0      | 30.0      | 29.0      | 95.0  |
| T113005 | 6.0    | 4.0  | 5.0  | 5.0  | 5.0 | 4.0   | 4.0   | 33.0      | 30.0      | 28.0      | 91.0  |
| T113006 | 6.0    | 4.0  | 5.0  | 5.0  | 4.0 | 3.0   | 4.0   | 31.0      | 30.0      | 28.0      | 89.0  |
| T113007 | 7.0    | 4.0  | 5.0  | 5.0  | 4.0 | 4.0   | 5.0   | 34.0      | 30.0      | 28.0      | 92.0  |
| T113008 | 7.0    | 4.0  | 5.0  | 5.0  | 4.0 | 4.0   | 4.0   | 33.0      | 30.0      | 27.0      | 90.0  |
| T113009 | 6.0    | 4.0  | 5.0  | 5.0  | 4.0 | 3.0   | 4.0   | 31.0      | 30.0      | 28.0      | 89.0  |
| T113010 | 7.0    | 4.0  | 5.0  | 5.0  | 4.0 | 4.0   | 5.0   | 34.0      | 30.0      | 28.0      | 92.0  |
| T113011 | 6.0    | 4.0  | 5.0  | 5.0  | 4.0 | 4.0   | 4.0   | 32.0      | 30.0      | 27.0      | 89.0  |
| T113013 | 6.0    | 4.0  | 5.0  | 5.0  | 4.0 | 4.0   | 5.0   | 33.0      | 30.0      | 27.0      | 90.0  |

## 西南交通大学电气工程学院卫生检查成绩（天佑斋15号-2014级女生）

| 寝室号     | 检查项目           |          |          |          |         |               |               | 寝室卫生成绩<br>40分 | 寝室安全成绩<br>30分 | 寝室文化成绩<br>30分 | 总分<br>100 |
|---------|----------------|----------|----------|----------|---------|---------------|---------------|---------------|---------------|---------------|-----------|
|         | 地面<br>墙壁8<br>分 | 门窗4<br>分 | 书桌6<br>分 | 阳台6<br>分 | 床<br>6分 | 垃圾<br>筐<br>4分 | 洗手<br>间<br>6分 |               |               |               |           |
| T154059 | 6.5            | 3.0      | 4.0      | 5.0      | 5.0     | 3.5           | 5.0           | 32.0          | 30.0          | 28.0          | 90.0      |
| T154060 | 6.0            | 2.5      | 4.0      | 4.5      | 4.5     | 2.0           | 4.5           | 28.0          | 30.0          | 28.0          | 86.0      |
| T154061 | 5.5            | 2.5      | 4.0      | 4.5      | 4.5     | 3.5           | 4.5           | 29.0          | 30.0          | 28.0          | 87.0      |
| T154062 | 7.0            | 3.3      | 5.0      | 5.0      | 5.0     | 3.5           | 5.0           | 33.8          | 30.0          | 28.0          | 91.8      |
| T154063 | 7.0            | 3.3      | 5.5      | 5.0      | 4.5     | 3.5           | 5.0           | 33.8          | 30.0          | 28.0          | 91.8      |
| T154064 | 7.0            | 3.0      | 5.0      | 5.0      | 5.0     | 3.5           | 5.0           | 33.5          | 30.0          | 28.0          | 91.5      |
| T154065 | 6.5            | 3.0      | 4.5      | 5.5      | 5.0     | 3.0           | 4.5           | 32.0          | 30.0          | 28.0          | 90.0      |
| T154066 | 5.5            | 2.3      | 4.5      | 5.0      | 4.5     | 3.0           | 4.5           | 29.3          | 30.0          | 28.0          | 87.3      |
| T154067 | 6.5            | 3.3      | 5.0      | 5.0      | 5.5     | 3.0           | 5.0           | 33.3          | 30.0          | 28.0          | 91.3      |
| T154068 | 6.0            | 3.8      | 5.5      | 5.5      | 4.5     | 3.0           | 4.5           | 32.8          | 30.0          | 28.0          | 90.8      |
| T154069 | 6.0            | 3.8      | 4.5      | 5.0      | 5.0     | 3.5           | 4.5           | 32.3          | 30.0          | 28.0          | 90.3      |
| T154071 | 6.5            | 3.8      | 4.5      | 5.0      | 4.0     | 3.5           | 4.5           | 31.8          | 30.0          | 28.0          | 89.8      |
| T154072 | 6.0            | 3.5      | 4.5      | 4.5      | 4.5     | 3.0           | 4.5           | 30.5          | 30.0          | 28.0          | 88.5      |
| T154073 | 7.0            | 4.0      | 4.5      | 4.5      | 4.5     | 4.0           | 5.0           | 33.5          | 0.0           | 27.0          | 60.5      |
| T154074 | 5.5            | 3.0      | 4.5      | 4.5      | 4.0     | 3.0           | 4.5           | 29.0          | 0.0           | 28.0          | 57.0      |
| T154075 | 6.5            | 3.5      | 5.0      | 4.5      | 4.5     | 3.0           | 4.5           | 31.5          | 30.0          | 28.0          | 89.5      |
| T154076 | 6.5            | 3.5      | 5.0      | 5.0      | 4.5     | 3.5           | 4.5           | 32.5          | 30.0          | 28.0          | 90.5      |
| T154077 | 6.5            | 3.5      | 5.0      | 5.0      | 5.0     | 4.0           | 4.5           | 33.5          | 30.0          | 28.0          | 91.5      |